

International Journal of Science and Research Archive

eISSN: 2582-8185 Cross Ref DOI: 10.30574/ijsra Journal homepage: https://ijsra.net/



(REVIEW ARTICLE)

Check for updates

Next-generation antennas key enabler: Intelligent Reflecting Surfaces (IRS) technology potential to address limitations of traditional antennas

Kylin Bocalan Felizardo * and Edwin Romeroso Arboleda

Department of Computer, Electronics and Electrical Engineering, College of Engineering and Information Technology, Cavite State University, Philippines.

International Journal of Science and Research Archive, 2024, 12(01), 2608-2613

Publication history: Received on 11 May 2024; revised on 17 June 2024; accepted on 20 June 2024

Article DOI: https://doi.org/10.30574/ijsra.2024.12.1.1136

Abstract

This review explores the potential of Intelligent Reflecting Surfaces (IRS) to address limitations of traditional antennas and empower next-generation wireless networks. IRS technology offers a paradigm shift by passively manipulating radio waves, enhancing signal coverage, network capacity, and energy efficiency. IRS technology utilizes flat surfaces equipped with tiny, adjustable reflectors. Unlike traditional antennas that actively send and receive radio waves, IRS passively manipulates incoming signals by reflecting them in specific directions with controlled adjustments. This approach significantly improves signal coverage and strength, particularly in areas with poor reception. The review reveals the IRS technology offers significant advantages over traditional antennas. It can enhance signal coverage by reflecting radio waves, boost network capacity which allows networks to handle a larger number of users simultaneously, promote lower energy consumption compare, and unlock potential of 6G Networks and beyond. Additionally, IRS enables functionalities such as enhanced localization and ultra-fast data transfer. Integrating IRS with next-generation antennas unlocks new possibilities. This includes reconfigurable antennas that dynamically adjust radiation patterns, compact and low-profile designs, and multi-functional antennas that support various services simultaneously. In conclusion, this paves the way for a new generation of robust and sustainable wireless communication systems.

Keywords: Intelligent Reflecting Surfaces; 6G Network; Antennas; Wireless Communication; Signal

1. Introduction

The increasing demands on wireless communication networks expose limitations in traditional antenna technology. These limitations include limited coverage, network capacity constraints and signal interference. However, Intelligent Reflecting Surfaces (IRS) offer a paradigm shift, arising as a revolutionary technology with the potential to address these limitations and pave the way for next generation antennas. IRS are essentially flat surfaces covered in tiny, programmable reflecting elements. Unlike traditional antennas that actively transmit and receive radio waves, IRS passively manipulate incoming radio signals by reflecting them in specific directions with a controlled phase shift. Accordingly, IRS technology is a key enabler to meet the level of EE and SE of 5G and beyond wireless networks [1].

IRS operation involves the following steps [3,4]:

- Signal Reception: The IRS receives a wireless signal from a transmitter or a base station.
- Phase Shift Adjustment: A controller unit, often powered by advanced algorithms and machine learning techniques, determines the optimal phase shifts to be applied to each reflecting element based on the desired wavefront manipulation objective.

Copyright © 2024 Author(s) retain the copyright of this article. This article is published under the terms of the Creative Commons Attribution Liscense 4.0.

^{*} Corresponding author: Kylin Bocalan Felizardo

- Wavefront Manipulation: The reflecting elements introduce the calculated phase shifts, effectively modifying the wavefront of the impinging signal in a controlled manner.
- Signal Reflection: The manipulated wavefront is reflected back towards the intended receiver, potentially enhancing the signal strength, mitigating multipath fading, or enabling advanced beamforming capabilities.

With this ability, IRS technology introduces a new dimension to antenna design with the capability to address the limitations faced by the traditional antennas and unlock new possibilities in next-generation antennas.

In this study, the researcher will explore IRS technology potential benefits to address the limitations of traditional antennas, examine its impact on coverage, capacity, efficiency, and overall network performance. Including how IRS can work alongside next-generation antennas for optimal performance. Additionally, to further investigate and explore IRS technology, existing researches and literature reviews will be considered in discussing the challenges and potentials of the development of this technology which represents a significant departure from traditional antennas.

2. Signal Coverage and Strength

Intelligent Reflecting Surfaces technology can be purposed to reflect and focus signals towards desired locations which will improve coverage and signal strengths in areas with poor reception. Traditional antennas often struggle to provide reliable coverage, especially in areas with obstructions or unfavorable propagation conditions, leading to dead zones and poor signal quality.

The coverage enhancement capabilities of Intelligent Reflecting Surfaces (IRS) extend beyond traditional sub-6GHz frequencies to the millimeter-wave (mmWave) spectrum as well. As Ahmed et al. [1] explain, IRS technology can effectively address the propagation challenges faced by mmWave communications, such as high path loss and sensitivity to blockages. By strategically deploying IRS surfaces, the signals in the mmWave bands can be reflected and focused, mitigating the impact of obstructions and extending the coverage range [1].

A study by Etcibasi and Aktas [5] provides a practical analysis of the coverage improvements achievable with IRS-aided mmWave networks. Their analytical and simulation results demonstrate that the deployment of IRS surfaces can significantly increase the coverage probability and reduce outage events, particularly in densely populated urban environments where mmWave signals are susceptible to blockages [5].

Furthermore, IRS technology can be leveraged to enhance the received signal strength and quality in various propagation scenarios. As Okogbaa et al. [6] highlight, the ability of IRS to manipulate the wavefront and constructively combine the reflected signals can lead to improved signal-to-noise ratios (SNRs) and reduced multipath fading effects. This feature is particularly beneficial in environments with rich scattering, where traditional antenna systems struggle to provide reliable and robust wireless links [6].

It is important to note that the coverage and signal strength improvements offered by IRS technology are highly dependent on factors such as the number and placement of IRS surfaces, the propagation environment, and the optimization algorithms used to control the phase shifts. Hu et al. [8] propose the concept of movable IRS elements, which can dynamically adapt to changes in the propagation environment and user locations, potentially enhancing the coverage and signal quality even further [8].

3. Boosting Network Capacity

In addition to enhancing signal coverage and strength, Intelligent Reflecting Surfaces (IRS) technology holds significant potential for boosting the capacity of wireless networks. As the need for faster data speeds and reliable connections keeps growing, traditional antenna systems are struggling to keep up. They are not able to use the available radio waves as efficiently as possible, and there are limitations to how many devices they can support in a given area. IRS offers a promising solution to address these capacity constraints.

Shafique and Alhassoun [10] discuss the potential of IRS to create well-separated clusters of users, enabling efficient NOMA implementation and minimizing inter-user interference. This capability can lead to higher spectral efficiencies and increased overall network capacity, particularly in dense user environments.

Another aspect of IRS technology that contributes to capacity boosting is its ability to support user mobility. Odeyemi et al. [11] investigate the performance of IRS-assisted mobile networks with randomly moving users over fading

channels. Their analysis demonstrates that IRS can effectively improve the ergodic capacity and outage probability in such scenarios, highlighting the potential of IRS to support high-capacity mobile networks [11].

As the development of IRS technology progresses towards the realization of 6G wireless networks, researchers are exploring various advanced techniques and architectures to further enhance the capacity-boosting capabilities. Pan et al. [13] discuss several promising research directions, such as multi-panel IRS configurations, hybrid IRS-active antenna systems, and the integration of IRS with other emerging technologies like cell-free massive MIMO and terahertz communications.

4. Enhanced Efficiency

One of the key benefits of Intelligent Reflecting Surfaces (IRS) technology is its contribution to creating more sustainable and environmentally friendly wireless communication systems. Unlike traditional antennas that actively use power to send and receive signals, IRS surfaces are passive. They simply reflect and control incoming radio waves, which means they use much less energy [1]. This passive approach makes IRS technology an attractive option for building more sustainable wireless communication networks.

A key advantage of IRS for energy efficiency is its ability to direct signal strength precisely towards users. This reduces signal loss along the way and allows base stations to transmit at lower power levels [2]. By strategically placing IRS panels and adjusting how the signals bounce off them, engineers can significantly improve the signal strength received by users without needing to boost transmission power, ultimately saving energy [3].

Additionally, the energy consumption of the control and signal processing units associated with IRS systems should be carefully considered and minimized to ensure overall energy efficiency [6]. Advancements in low-power electronics and energy-efficient hardware implementations will be crucial in fully realizing the energy efficiency potential of IRS technology.

5. Integration with Massive MIMO and 6G Networks

Intelligent Reflecting Surfaces (IRS) technology is widely recognized as a key enabler for the realization of 6G wireless networks, and its integration with other advanced technologies, such as massive Multiple-Input Multiple-Output (MIMO), IRS has the potential to significantly improve the performance of next-generation wireless systems.

The combination of IRS and massive MIMO can provide significant performance gains in terms of spectral and energy efficiency, as well as enhanced coverage and capacity [13]. By leveraging the ability of IRS to reshape the propagation environment and create favorable channel conditions, the deployment of large-scale MIMO systems can be facilitated, enabling advanced beamforming and spatial multiplexing techniques [9].

As highlighted by Algahtani et al. [16], the integration of IRS with user equipment (UE) association can enable efficient resource control in 6G networks. By optimizing the association between UEs and IRS surfaces, as well as managing the phase shifts of the IRS elements, the overall system performance can be significantly improved, leading to more efficient resource utilization and enhanced user experience [16].

Long et al. [17] provide a comprehensive overview of the potential of IRS technology in the context of 6G wireless networks. They discuss various aspects, including the integration of IRS with massive MIMO, the potential for energy-efficient communications, and the challenges associated with channel estimation and optimization in dynamic environments.

Furthermore, IRS technology is expected to play a crucial role in enabling other key features of 6G networks, such as localization and sensing capabilities. Sanusi et al. [18] highlight the potential of IRS to enhance the accuracy and reliability of localization and sensing systems, enabling a wide range of applications in areas such as autonomous vehicles, smart cities, and emergency response.

The integration of IRS with terahertz (THz) communications is another promising avenue for 6G networks. Wang et al. [19] discuss the advantages of IRS in mitigating the propagation challenges associated with THz frequencies, such as high path loss and sensitivity to blockages. By strategically deploying IRS surfaces, the coverage and capacity of THz systems can be significantly improved, enabling the realization of ultra-high data rates and low-latency communication.

Chen et al. [20] provide a comprehensive survey on the integration of IRS technology with THz communications for 6G networks. They discuss various aspects, including channel modeling, beamforming techniques, and hardware implementation challenges, highlighting the potential of IRS to overcome the limitations of traditional antenna systems in the THz spectrum [20].

6. IRS Empowering Next-Generation Antennas

The potential of Intelligent Reflecting Surfaces (IRS) technology extends beyond addressing the limitations of traditional antennas. IRS is expected to be a key part of developing and using next-generation antennas. This technology will allow for completely new features and designs that weren't possible before.

One of the key areas where IRS can revolutionize antenna technology is in the realm of reconfigurable and adaptable antennas. Zhang et al. [21] highlight the potential of IRS to enable dynamic beam pattern control and wavefront shaping, allowing antennas to adapt their radiation characteristics to changing environmental conditions and user requirements. By strategically integrating IRS elements into antenna structures, the radiation patterns can be dynamically reconfigured, enabling enhanced directivity, beamforming capabilities, and interference mitigation [21].

Moreover, IRS technology can facilitate the realization of compact and low-profile antenna designs, which are in high demand for various applications, such as Internet of Things (IoT) devices, wearable electronics, and mobile devices [2]. By leveraging the ability of IRS to manipulate the propagation environment, the physical size and complexity of antenna structures can be reduced while maintaining or even improving their performance [2]. This capability can lead to more efficient and cost-effective antenna solutions, enabling the seamless integration of advanced wireless capabilities into a wide range of devices and systems.

Another promising area where IRS can contribute to next-generation antennas is in the development of energy-efficient and sustainable antenna solutions. As discussed earlier, the passive nature of IRS surfaces and their ability to focus signal energy towards intended receivers can lead to significant energy savings [1], [3]. By integrating IRS elements into antenna designs, the energy efficiency of wireless communication systems can be further improved, reducing the overall energy consumption and carbon footprint of next-generation networks.

Furthermore, IRS technology can enable the development of multi-functional antennas, capable of simultaneously supporting multiple wireless services and applications [10]. By using IRS to create focused beams and manage radio waves efficiently, these antennas could support various communication standards, operate on different frequencies, and handle diverse applications simultaneously [10]. This eliminates the need for separate antennas for different purposes, leading to more efficient, cost-effective, and versatile solutions for complex communication systems and environments.

While the integration of IRS technology into antenna designs presents numerous opportunities, it also introduces several challenges that need to be addressed. These include the development of efficient optimization algorithms for phase shift control, practical hardware implementations that can integrate IRS elements seamlessly into antenna structures, and the establishment of appropriate design methodologies and guidelines [9]. Interdisciplinary collaboration between researchers in the fields of antennas, electromagnetic theory, signal processing, and materials science will be crucial in overcoming these challenges and fully realizing the potential of IRS-empowered next-generation antennas.

As the development of IRS technology continues to advance, its impact on next-generation antennas is expected to be profound, enabling the realization of highly reconfigurable, energy-efficient, compact, and multi-functional antenna solutions that can meet the stringent requirements of future wireless communication systems and applications.

7. Conclusion

This literature review explored the potential benefits of Intelligent Reflecting Surfaces (IRS) in addressing limitations such as weak signal strength in certain areas, limited network capacity for handling many users, and high energy consumption. Beyond addressing limitations, this review highlighted how IRS can empower next-generation antennas with entirely new functionalities. The analysis showed that IRS technology can significantly improve signal coverage and strength. By strategically reflecting signals, IRS can extend coverage to areas that currently have weak reception, such as rural locations, building interiors, and even crowded cities.

Furthermore, IRS technology can significantly improve the ability of a network to handle a large number of users at once. This makes the network more efficient and lets it handle crowded areas with smooth, reliable connections. Unlike traditional antennas that constantly blast signals, IRS simply reflects them, using much less power. On top of that, IRS can optimize how signals travel, further reducing the energy needed to maintain a good connection. Intelligent Reflecting Surfaces (IRS) technology is expected to be a key part of building 6G networks. When combined with large antenna systems (massive MIMO), IRS can boost data efficiency, save energy, and enable cool new features like super precise location tracking and ultra-fast data transfer speeds.

The potential of IRS extends beyond simply fixing existing problems. This technology opens doors to entirely new functionalities and antenna designs that weren't previously possible. By integrating IRS elements, antennas can dynamically adjust how they radiate signals. This translates sharper signal direction, improved beamforming, and reduced interference for more robust connections. IRS can be integrated into antenna designs to create multi-functional antennas that can support various wireless services and applications simultaneously. This eliminates the need for separate antennas for different purposes, resulting in a more versatile and cost-effective approach.

In conclusion, Intelligent Reflecting Surfaces and next-generation antennas have the potential to revolutionize wireless communication. By working together, these technologies can overcome limitations of traditional systems. It promises to create a new generation of wireless communication systems that are more reliable, efficient, and powerful. As research progresses, we can expect further advancements in IRS design and control, allowing us to fully develop this revolutionary technology.

Compliance with ethical standards

Disclosure of conflict of interest

No conflict of interest to be disclosed.

References

- [1] Ahmed, Q., Khan, F.A., Abbas, W.B., Che, F., Zaidi, S.A.R., & Alade, T. (2022, April 06). The Intelligent Reflecting Surface. In Encyclopedia. https://encyclopedia.pub/entry/21383
- [2] Ashish Sharma, Arnav Bhambri, Pranav Santosh Huilgol. (2023, July 17) Intelligent Reflective Surfaces and its Application Across Various Communication Techniques: A Review. TechRxiv.. DOI: 10.36227/techrxiv. 23677509.v1
- [3] Wu, Q., & Zhang, R. (2020). Towards smart and reconfigurable environment: Intelligent reflecting surface aided wireless network. IEEE Communications Magazine, 58(1), 106-112. https://doi.org/10.1109/MCOM.001.1900107
- [4] Liaskos, C., Nie, S., Tsioliaridou, A., Pitsillides, A., Ioannidis, S., & Akyildiz, I. (2018). A new wireless communication paradigm through software-controlled metasurfaces. IEEE Communications Magazine, 56(9), 162-169. DOI: 10.1109/MCOM.2018.1700659
- [5] Etcibasi, A. Y., & Aktas, E. (2023). Coverage Analysis of IRS-Aided Millimeter-Wave Networks: A Practical Approach. IEEE Transactions on Wireless Communications, 23(4), 3721-3734. DOI: 10.36227/techrxiv. 22123064.v3
- [6] Okogbaa, F. C., Ahmed, Q. Z., Khan, F. A., Abbas, W. B., Che, F., Zaidi, S. A. R., & Alade, T. (2022). Design and Application of Intelligent Reflecting Surface (IRS) for Beyond 5G Wireless Networks: A Review. Sensors (Basel, Switzerland), 22(7), 2436. https://doi.org/10.3390/s22072436
- [7] Shaobo Liu, et. al. (2020). Performance Analysis of Intelligent Reflecting Surface in Multi-user MIMO Systems. Journal of Physics: Conference Series, 1575. DOI:10.1088/1742-6596/1575/1/012078
- [8] Hu, G., et. al. (2023, November 4). Intelligent Reflecting Surface-Aided Wireless Communication with Movable Elements, <i>arXiv e-prints</i>, doi:10.48550/arXiv.2311.02376.
- [9] Zhang, Z. & Dai, L. (2023). Reconfigurable Intelligent Surfaces for 6G: Nine Fundamental Issues and One Critical Problem. Tsinghua Science & Technology. 28(5). 929-939. 10.26599/TST.2023.9010001.
- [10] Shafique, K., & Alhassoun, M. (2024, April). Going Beyond a Simple RIS: Trends and Techniques Paving the Path of Future RIS. IEEE Open Journal of Antennas and Propagation, 5(2), 256-276. doi: 10.1109/0JAP.2024.3360900.

- [11] Odeyemi K., et. al. (2020). Reconfigurable intelligent surface assisted mobile network with randomly moving user over Fisher-Snedecor fading channel. Physical Communication, 43. https://doi.org/10.1016/j.phycom.2020.101186.
- [12] Zhao, J. A Survey of Intelligent Reflecting Surfaces (IRSs): Toward 6G Wireless Communication Networks. arXiv 2019, arXiv:1907.04789.
- [13] Pan, C., Ren, H., Wang, K., et al. (2021). Reconfigurable intelligent surfaces for 6g systems: Principles, applications, and research directions. IEEE Communications Magazine, 59(6). DOI: 10.1109/MCOM.001.2001076.
- [14] Wang Y., Lu, H., Zhao, D., & Sun, H. (2020). Energy Efficiency Optimization in IRS-Enhanced mmWave Systems with Lens Antenna Array. GLOBECOM 2020 - 2020 IEEE Global Communications Conference, 1-6. DOI: 10.1109/GLOBECOM42002.2020.9348266.
- [15] Wang, J. & Li, J. (2022). Energy efficiency maximization for IRS-assisted NOMA networks. Physical Communication, 52. https://doi.org/10.1016/j.phycom.2022.101647
- [16] Algahtani, A., et. al. (2023, November). 6G-Powered Efficient Resource Control through IRS-UE Association. Sensors (Basel), 23(21), DOI: 10.3390/s23218713
- [17] Long, W., Chen, R., et. al. (2021). A Promising Technology for 6G Wireless Networks: Intelligent Reflecting Surface. Journal of Communications and Information Networks, 6(1), 1-16. DOI: 10.23919/JCIN.2021.9387701
- [18] Sanusi J, Oshiga O, Thomas S, et al. (2021). A Review on 6G Wireless Communication Systems: Localization and Sensing. 2021 1st International Conference on Multidisciplinary Engineering and Applied Science (ICMEAS), 1– 5. DOI: 10.1109/ICMEAS52683.2021.9692415
- [19] Wang, Y., Ji, B., & Li, D. (2023). IRS Assist Wireless communication: Scenarios, Advantages, Convergence. Journal of Computing and Electronic Information Management, 10(3). DOI: https://doi.org/10.54097/jceim.v10i3.8679
- [20] Chen, Z.; Ma, X.; Han, C.; Wen, Q. (2021) Towards intelligent reflecting surface empowered 6G terahertz communications: A survey. China Communication,18(5), 93–119. DOI: 10.23919/JCC.2021.05.007
- [21] Zhang, J., Björnson, E., Matthaiou, M., Ng, D. W. K., Yang, H., & Love, D. J. (2019, September 30). Prospective multiple antenna technologies for beyond 5G. arXiv.org. https://arxiv.org/abs/1910.00092